

Inserts for the OCTOCOLOR range can be found under "OCTOCOLOR/Inserts".

- Notes on materials:
TP: Shatter-proof thermoplastic.
ML: Shatter-proof thermoplastic, metal-coloured.
M: Metal.

■ **Technical Information:** OCTOCOLOR dimensions (⇒ p. 394)

OCTOCOLOR frames

■ **Technical Information:** OCTOCOLOR dimensions (⇒ p. 394)



OCTOCOLOR frame, 1-gang

■ **To be completed with:** Colour rings for OCTOCOLOR frame, art. no. 3999...

Version	Art. no.	PU	PG	Mat.	Info
white	399144	10/360	1	TP	
polar white	399119	10/360	1	TP	
bronze metallic	399142	2/270	1.2	M	
titanium	399105	2/180	1.2	M	



OCTOCOLOR frame, 2-gang

For vertical and horizontal installation.

■ **To be completed with:** Colour rings for OCTOCOLOR frame, art. no. 3999...

Version	Art. no.	PU	PG	Mat.	Info
white	399244	10/240	1	TP	
polar white	399219	10/240	1	TP	
bronze metallic	399242	2/100	1.2	M	
titanium	399205	2/100	1.2	M	



OCTOCOLOR frame, 3-gang

For vertical and horizontal installation.

■ **To be completed with:** Colour rings for OCTOCOLOR frame, art. no. 3999...

Version	Art. no.	PU	PG	Mat.	Info
white	399344	10/80	1	TP	
polar white	399319	10/80	1	TP	
bronze metallic	399342	2/68	1.2	M	
titanium	399305	2/68	1.2	M	



OCTOCOLOR frame, 4-gang

For vertical and horizontal installation.

■ **To be completed with:** Colour rings for OCTOCOLOR frame, art. no. 3999...

Version	Art. no.	PU	PG	Mat.	Info
white	399444	2/44	1	TP	
polar white	399419	2/44	1	TP	
bronze metallic	399442	2/44	1.2	M	
titanium	399405	2/44	1.2	M	



OCTOCOLOR frame, 5-gang

For vertical and horizontal installation.

■ **To be completed with:** Colour rings for OCTOCOLOR frame, art. no. 3999...

Version	Art. no.	PU	PG	Mat.	Info
white	399544	1/38	1	TP	
polar white	399519	1/38	1	TP	
bronze metallic	399542	1/38	1.2	M	
titanium	399505	1/38	1.2	M	



Colour rings for OCTOCOLOR frames

Required: One colour ring for 1-gang frames, two colour rings for 2-gang frames etc.

■ **To be completed with:** OCTOCOLOR frame, art. no. 3991..., 3992..., 3993..., 3994..., 3995...

■ **Special colours available on request. Price on request.**

Version	Art. no.	PU	PG	Mat.	Info
white	399944	10/300	1.2	TP	
polar white	399919	10/300	1.2	TP	
blue	399979	10/300	1.2	TP	
dark grey	399972	10/300	1.2	TP	
black	399922	10/300	1.2	TP	
sapphire blue	399911	10/300	1.2	TP	
mocha	399916	10/300	1.2	TP	
gold metallic	399941	10/600	1.2	TP	
chrome	399939	10/600	1.2	TP	

Surface-mounted housing

- **Thermoplastic version.**
- Suitable mini trunking (15x 15mm) is supplied by the trunking manufacturer.

■ **Technical Information:** Surface-mounted housing dimensions (⇒ p. 407)



Surface-mounted housing, 1-gang

With enclosed base and guide slots for partition walls. 2 pre-formed cable entries, sealed with blanking caps. Can be installed on any building material.

■ **Contents:** With device fixing screws, cable entry and mini-trunking entry (15 mm).

Version	Art. no.	PU	PG	Mat.	Info
white	512144	1/40	1.5	TP	
polar white	512119	1/40	1.5	TP	
ruby red	512106	1/40	1.5	TP	




Surface-mounted housing, 2-gang

With enclosed base and guide slots for partition walls. 4 pre-formed cable entries, sealed with blanking caps. Can be installed on any building material.

■ **Contents:** With device fixing screws, cable entry and mini-trunking entry (15 mm).

Version	Art. no.	PU	PG	Mat.	Info
white	512244	1/20	1.5	TP	
polar white	512219	1/20	1.5	TP	



Surface-mounted housing, 3-gang

With enclosed base and guide slots for partition walls. 4 pre-formed cable entries, sealed with blanking caps. Can be installed on any building material.

■ **Contents:** With device fixing screws, cable entry and mini-trunking entry (15 mm).

Version	Art. no.	PU	PG	Mat.	Info
white	512344	1/15	1.5	TP	
polar white	512319	1/15	1.5	TP	



Cable entry

For cables and mini trunking.

Version	Art. no.	PU	PG	Mat.	Info
white	535162	20/2000	1.5	TP	
polar white	535160	20/2000	1.5	TP	



Mini-trunking entry (15 mm)

For 15 x 15 mm ducts.

Version	Art. no.	PU	PG	Mat.	Info
white	535062	10/1000	1.5	TP	
polar white	535060	10/1000	1.5	TP	

